

Lyze / Chair  
Design / Florent Coirier

Test  
EN581-1 / EN581-2

Florent Coirier found inspiration for the Lyze collection in a technical and timeless design which makes this group of furniture elegant and contemporary. The unusual stainless steel backrest is attached to the aluminium seat and comes in various sophisticated colour combinations. The fibre cement top coffee tables, along with the comfortable lounge chair, elegantly furnish leisure areas in all settings.




### Description

Code: **615**  
Line: **EMU Advanced**  
Typology: **Chairs**  
Collection: **Lyze**

Stackable: 6  
Seat Cushion: Yes  
Static Load: 200 Kg  
Test: EN581-1 / EN581-2  
Cushion Material: Acrylic Fabric

### Technical Info



Width: **47 cm**  
Depth: **54 cm**  
Height: **79 cm**  
Weight: **4.00 Kg**  
Static Load: **200 Kg**  
Seat Cushion: **Yes**

### Packaging

Packages: **1**  
Pieces for pack: **4**  
Dimensions: **106x72x55 cm**  
Volume: **0.419 m<sup>3</sup>**

Polyethylene bag and cardboard box

Lyze / Chair  
Design / Florent Coirier

Test  
EN581-1 / EN581-2

## Colors



Matt White - Matt White



Matt White - Taupe



Black - Black



Grey/Green - Grey/Green



Scarlet Red -Scarlet Red



Copper - Copper

## Materials

### Aluminium

Aluminium alloys, particularly suitable for cold-working and for die-casting, appropriately treated to withstand the elements and powder coated.

**Maintenance:** To keep the product in good condition for a long time, we recommend cleaning it regularly; more often in very damp locations with a marine climate. It is recommended to clean the surfaces using a soft cloth with water or mild detergents. Prolonged and continuous exposure to intense UV radiation or very low temperatures can affect the initial characteristics of the coloured coating, which is made from polyester. We recommend cleaning and storing the products in sheltered places during prolonged periods of non-use and during the winter.

### Stainless Steel

Polished AISI 316 stainless steel.

**Maintenance:** To keep the product in good condition for a long time, we recommend cleaning it regularly; more often in very damp locations with a marine climate. It is recommended to clean the surfaces using a soft cloth with water or mild detergents. Prolonged and continuous exposure to intense UV radiation or very low temperatures can affect the initial characteristics of the coloured coating, which is made from polyester. We recommend cleaning and storing the products in sheltered places during prolonged periods of non-use and during the winter. Removing stains or rust: apply a specific non-abrasive detergent/polish for stainless steel; test on a hidden stain to make sure that the original surface finish is not altered; remember to rub lengthwise (not in a circle); do not use abrasive pads; rinse thoroughly with clean water; finally dry thoroughly to prevent streaks, rub in the direction of the fibres.

## Cushion Material

### Acrylic Fabric

The 100% acrylic fabrics combined with a polyurethane internal coating. This step makes it water-repellent, highly resistant to UV rays for excellent outdoor performance.

**Maintenance:** To keep the product in good condition for a long time, we recommend cleaning it regularly; more often in very damp locations with a marine climate. It is recommended to clean the surfaces using a soft cloth with water or mild detergents. Prolonged and continuous exposure to intense UV radiation or very low temperatures can affect the initial characteristics of the coloured coating, which is made from polyester. We recommend cleaning and storing the products in sheltered places during prolonged periods of non-use and during the winter. Removing stains or rust: apply a specific non-abrasive detergent/polish for stainless steel; test on a hidden stain to make sure that the original surface finish is not altered; remember to rub lengthwise (not in a circle); do not use abrasive pads; rinse thoroughly with clean water; finally dry thoroughly to prevent streaks, rub in the direction of the fibres.